


NEW!

Filtration and Separation Solutions



Rubber Fab

a Garlock Hygienic Technologies company


New to The Rubber Fab Gasket Family!

Rubber Fab's Camlock Screen and Perforated Plate Gaskets are the gasket of choice for applications such as tanker truck fluid transfer to your plant. Great for loading and unloading from tanker to silo. The centering knobs on the side of the Camlock Gaskets make for easier installation and removal.


Camlock Screen Gasket Specifications

Rubber Fab offers a complete line of Camlock Screen Gaskets specifically designed to protect your pump during transfer of materials from tanker to silo. The extended **sock screen** mesh gasket offers up to 300% more open area for 300% more soil collection capability than conventional screens.


- Available in the following materials: Buna, EPDM, FKM Fluoroelastomer, Platinum Silicone
- Detectomer® Metal Detectable/X-ray Inspectable Buna and Silicone
- Screen Gaskets are offered in 10 - 100 mesh
- Available in the following sizes: 1", 1-1/2", 2", 3", 4", and 6" (Consult Factory for 6")
- Sock Screens are available in 6" lengths as a standard stock. Consult factory for other lengths.



Centering Knobs on the side of all gaskets make for ease of installation and removal.



Removable Inserts are available



Metal Detectable/
X-ray Inspectable Gasket



Buna Sock
Screen



Female Camlock Fitting, a Camlock Screen Gasket and a Male Camlock shown above




Camlock Perforated Plate Gasket Specifications

Rubber Fab also offers a full line of perforated hole plate gaskets for large particle filtration.


- Available in the following materials: Buna, EPDM, Platinum Silicone, and FKM Fluoroelastomer
- 0.033" Standard Stock Perforation. Also available in 0.062", 0.094", 0.125", 0.250", 0.375" and 0.500" perforations (minimums apply). Consult factory for custom hole configurations.
- Available in the following sizes: 1", 1-1/2", 2", 3", 4", and 6" (Consult Factory for 6")
- Sock Screens are available in 6" lengths as a standard stock. Consult factory for other lengths.
- Sock Screens can be ordered with or without electro-polishing
- Also available in Orifice Plate style

0.033" Standard
Stock Perforation

Reusable Screens,
Socks and Plates



Buna Perforated Plate



EPDM Perforated
Plate



Electro-polished
EPDM Perforated
Sock Screen

Standard Camlock Gasket Specifications

Rubber Fab's gaskets for Camlock coupling are available in the standard style and Metal Detectable/X-ray Inspectable.



- Available in the following materials: Buna, EPDM, FKM Fluoroelastomer, and Silicone
- Available in the following sizes: 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", and 6"



Encapsulated Camlock Gasket Specifications

These gaskets combine the best qualities of two materials to form a superior seal; Elastomer as the core for resilience, and FEP encapsulated material on the outside for chemical resistance.

- Available in the following materials: EPDM, FKM Fluoroelastomers, and Silicone all with FEP Encapsulation
- Available in the following sizes: 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3", and 4"



Rubber Fab

a Garlock Hygienic Technologies company

26 Brookfield Drive • Sparta, NJ 07871

973.579.2959 Phone • 973.579.7275 Fax

866.442.2959 Toll Free • www.rubberfab.com

Rubber Fab is a Member of:

Distributed by:

ISPE



fisa
Distributors Serving
Sanitary Processing

